

Package: quartoYAAC (via r-universe)

August 27, 2024

Type Package

Title R Interface to the 'quarto-yaac' Template

Version 0.1.0

Description Provides convenience functions to add the 'quarto-yaac' template to an R project and includes functions for creating Latex formatted text blocks that work with the underlying document class.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.2

Imports cli, fs, glue, rlang, rstudioapi

SystemRequirements Quarto command line tools
(<https://github.com/quarto-dev/quarto-cli>).

Repository <https://mps9506.r-universe.dev>

RemoteUrl <https://github.com/mps9506/quartoYAAC>

RemoteRef HEAD

RemoteSha 1555a71f81fd5af065508ed9751d27f1a5120ea2

Contents

print_education_block	2
print_experience_block	2
print_project_block	3
print_referee_block	3
print_skills_block	4
use_quarto_yaac	4

Index	5
--------------	----------

`print_education_block` *Print education block*

Description

Print education block

Usage

```
print_education_block(x)
```

Arguments

x data frame with `end_date`, `degree`, and `institution`

Value

Nothing (invisible NULL)

`print_experience_block`
Print experience block

Description

Formats and prints a latex string

Usage

```
print_experience_block(x)
```

Arguments

x dataframe with columns: `enddate`, `positiontitle`, `institution`, `location`, `startdate`, `descriptionbullets`, and `skilltag`.

Value

Nothing (invisible NULL)

`print_project_block` *Print project block*

Description

Print project block

Usage

`print_project_block(x)`

Arguments

x data frame with the following columns: project_name, dates, repo, link, description, and tags.

Value

Nothing (invisible NULL)

`print_referee_block` *Print referee block*

Description

Print referee block

Usage

`print_referee_block(x)`

Arguments

x data frame with columns: name, title, institute, email, and phone

Value

Nothing (invisible NULL)

`print_skills_block` *Print skills block*

Description

Formats and prints a latex string.

Usage

```
print_skills_block(x)
```

Arguments

`x` dataframe with columns id and text

Value

None (invisible NULL)

`use_quarto_yaac` *Use the Quarto-YAAC template*

Description

Adds a subdirectory and necessary files to use the Quarto-YAAC <https://github.com/mps9506/quarto-yaac> template.

Usage

```
use_quarto_yaac(file_name = NULL)
```

Arguments

`file_name` Name of new qmd file and sub-directory to be created

Value

a message if extension was successfully copied over

Index

`print_education_block`, 2
`print_experience_block`, 2
`print_project_block`, 3
`print_referee_block`, 3
`print_skills_block`, 4

`use_quarto_yaac`, 4